

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David G. Dolezal on 11/17/09.

The application has been amended as follows:

IN THE CLAIMS:

Claim 5, line 1, "receiver4" has been replaced by --receiver--; line 9, after "producing", --local oscillator signal-- has been inserted; line 26, after "including", "further mixer" has been deleted.

Claim 6, line 4, "further mixer" has been deleted, line 4, after "channels", --of said further mixer means-- has been inserted.

Claim 12, line 23, before "a", --wherein said local oscillator module includes-- has been inserted.

Claim 14, line 2, "circuits are" has been replaced by --circuit is--.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B. Corrielus whose telephone number is 571-272-3020. The examiner can normally be reached on Monday-Thursday from 9:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh Fan can be reached on 571-272-3042. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jean B Corrielus/
Primary Examiner, Art Unit 2611